

HEAT SINK PASTE SF

Page: 1

Compilation date: 18/08/2014

**Revision date:** 15/08/2016

Revision No: 2

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: HEAT SINK PASTE SF

Product code: PC 1208

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC24: Lubricants, greases, release products.

# 1.3. Details of the supplier of the safety data sheet

Company name: Proventus (UK) Ltd

Unit 3

5 Westland Square

Leeds

West Yorkshire

LS11 5SS

United Kingdom

**Tel:** +44 (0)113 276 5343

Email: technical@proventusuk.com

# 1.4. Emergency telephone number

Emergency tel: +44 (0)113 270 5013

(office hours only)

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Acute 1: H400; Aquatic Chronic 1: H410

Most important adverse effects: Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

# 2.2. Label elements

Label elements:

Hazard statements: H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Signal words: Warning

Hazard pictograms: GHS09: Environmental



**Precautionary statements:** P273: Avoid release to the environment.

HEAT SINK PASTE SF

Page: 2

P391: Collect spillage.

P501: Dispose of contents/container to hazardous or special waste collection point.

#### 2.3. Other hazards

**Other hazards:** Zinc Oxide is bound in the formulation. Does not present a dust hazard.

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

### **Hazardous ingredients:**

#### ZINC OXIDE

| EINECS | CAS       | PBT / WEL | CLP Classification               | Percent |
|--------|-----------|-----------|----------------------------------|---------|
| -      | 1314-13-2 | -         | Aquatic Chronic 1: H410; Aquatic | 30-50%  |
|        |           |           | Acute 1: H400                    |         |

### Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Seek medical attention if irritation

persist.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

HEAT SINK PASTE SF

Page: 3

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

**Specific end use(s):** PC24: Lubricants, greases, release products.

# Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

# **Hazardous ingredients:**

# ZINC OXIDE

### Workplace exposure limits:

#### Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK    | 5 mg/m3    | 10 mg/m3     | -          | -            |

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

Engineering measures: Not applicable.

**Respiratory protection:** Respiratory protection not required.

HEAT SINK PASTE SF

Page: 4

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

# Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Grease

Colour: White

Odour: Odourless

Solubility in water: Insoluble

Melting point/range°C: >150

Autoflammability°C: >200

Relative density: 1.25

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Flames. Sources of ignition.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

HEAT SINK PASTE SF

Page: 5

# Hazardous ingredients:

### **ZINC OXIDE**

| IPR | RAT | LD50 | 240  | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 7950 | mg/kg |

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.Ingestion: There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

# Section 12: Ecological information

# 12.1. Toxicity

#### Hazardous ingredients:

### ZINC OXIDE

| ALGAE   | 72H ErC50 | .042 | mg/l |
|---------|-----------|------|------|
| DAPHNIA | 48H EC50  | 98   | μg/l |
| FISH    | 96H LC50  | 320  | mg/l |

# 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Absorbed only slowly into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

# Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

HEAT SINK PASTE SF

Page: 6

**Disposal of packaging:** Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

#### 14.1. UN number

UN number: UN3077

# 14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

### 14.3. Transport hazard class(es)

Transport class: 9

### 14.4. Packing group

Packing group: III

### 14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

# 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

# **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

# 15.2. Chemical Safety Assessment

### **Section 16: Other information**

# Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.